



MAJESTIC MACHINERY INC.

13731 Proctor Avenue, City of Industry, CA 91746

Phone: 626-336-2350

Fax: 626-336-2890



The RIGHT machine at the RIGHT price

Majestic CNC Knee Mill

Powered by Acu-rite Millpwr



shown with options



MAJESTIC MACHINERY INC.


13731 Proctor Avenue, City of Industry, CA 91746

Phone: 626-336-2350 Fax: 626-336-2890



The RIGHT machine at the RIGHT price

Box Way Design on our 10" and 12" wide tables



Glass Scales on all axis
Built in Ball Bar Test
Precision Ball Screws
Auto Lube System

Conversational Control
DXF Conversation
RS232 Connection
Standard "Z" axis scale

10" x 50" to 12" x 54" Tables
Coolant Tank built in the base
3rd axis available
Power Draw Bar available

3 year manufacturers warranty on the glass scales, 2 year mechanical machine limited warranty,

You pick the mill size, we will professionally install the complete system for you.

Training:

With the purchase of a new Acu-Rite Millpwr system, we will give you 3 hours training on our floor for free. 95% of first time buyers require a 5 minute conversation over the phone and that is it. The Acu-Rite manual is extremely clear and easy to follow. It covers most applications we very rarely are called to assist a customer.

Specifications:

Model Number	RM-1050-V3	RM-1054-V3
Work Table	10" x 50"	10" x 54"
Longitudinal Travel	30"	34"
Cross Travel	15"	15"
Knee Travel	15"	15"
T-Slots (Qty) x Size	(3) 5/8"	(3) 5/8"
T-Slot Center Distance	2.5"	2.5"
Spindle Motor	3 HP,230/460V, 3 Phase	3 HP,230/460V, 3 Phase
Head Type	Variable	Variable
(Number of speeds) RPM	(Variable) 70 – 3,800 RPM	(Variable) 70 – 3,800 RPM
Spindle Taper	R-8	R-8
Spindle Quill Diameter	3-3/8"	3-3/8"
Spindle Collet Capacity	1/8" to 7/8"	1/8" to 7/8"
Max. Spindle to Table	17-1/2"	19"
Min. Spindle to Table	5-1/2"	5-1/2"
Max. Spindle Center to Column	26"	26"
Spindle Quill Travel	5"	5"
Head Movement	90 deg. R to L, 45 deg F to B	90 deg. R to L, 45 deg F to B
Travel of Ram	20-1/2"	14-1/4"
Maximum Workpiece weight	750 lbs	750 lbs.
Overall Dimensions LxWxH	96" x 69" x 88"	96" x 69" x 88"
Net Weight Approx.	3,100	3,125

Specifications are for your reference only. The builder reserves the right to change or modify specifications without prior notice. We reserve the right to correct and not be held liable for any clerical errors.

Standard Accessories:

Chrome Quill	Hardened and ground table	Scale on the column
One shot lubrication system	Draw bar	Way covers (Front and Rear)
Tool box w/ tools	Meehanite casting	3 step power down feed

RM-1050CNC Variable speed head, 2 axis

Price.....FOB City of Industry (Los Angeles) CA.....\$

RM-1054CNC Variable speed head, 2 axis

Price.....FOB City of Industry (Los Angeles) CA.....\$

3 axis upgrade.....(install charge may apply if not ordered at time of mill purchase).....\$